



Public Health
Prevent. Promote. Protect.

Gasconade County Health Department

300 Schiller Street, Hermann, MO 65401
(573) 486-3129 FAX (573) 486-3745 County # 073

Food Inspection Report

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
125	1		01/17/2025	12:15 PM - 12:50 PM	Struttman, Drew

SITE INFORMATION
EDELWEISS WINERY
2065 W HWY 100
HERMANN MO 65041

INVENTORY/MANAGER/OWNER
70 Tavern/Bar/Winery/Distillery
Owner:
EDELWEISS WINERY
913-636-3088

SERVICE TYPE/FREQUENCY
Regular Inspection
Medium Priority

COMMENTS

<u>CODE</u>	<u>DESCRIPTION</u>
998	Temperatures Hot Water 55F, 50F, 55F, 127F, 130F, 102F, 88F
999	Education Provided OR Comments GCHD will return on 1/31 for follow up visit to check hot water temperatures.

Violations: Core - 2

CORE VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>CORRECTED</u>
8	Adequate handwashing facilities supplied & accessible (2)	01/17/2025

CORE VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
8	Risk Factors and Interventions (2) Observed multiple handsinks with no hot water. (Corrected 01/17/25) 5-202.12 A handwashing sink shall be equipped to provide water at a temperature of at least 100 degrees

CODE

DESCRIPTION

Fahrenheit through a mixing valve or combination faucet.

Observed no handwashing signage at hand sinks. (Corrected 01/17/25)

6-301.14 A sign or poster that notifies food employees to wash their hands shall be provided at all handwashing sinks and shall be clearly visible.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Inspection Report.

Drew Struttman, EPHS Inspector 1881

OWNER / MANAGER SIGNATURE