

Gasconade County Health Department

300 Schiller Street, Hermann, MO 65401 (573) 486-3129 FAX (573) 486-3745 County # 073

Food Inspection Report

SITE NO. INV NO. IR NO. DATE INSPECTION TIME INSPECTOR
82 1 03/07/2025 3:00 PM - 3:45 PM Struttmann, Drew

SITE INFORMATION THE RUSTIC GARDEN 100 E COLORADO BLAND MO 65014 573-646-3185 INVENTORY/MANAGER/OWNER 100 Restaurant Owner: THE RUSTIC GARDEN 573-646-3185 SERVICE TYPE/FREQUENCY
Regular Inspection
High Priority

COMMENTS

CODE	DESCRIPTION
998	Temperatures
	Hot Water 150F Onion Rings -5F, Fries 8F, Chicken 8F Cheese 40F, 36F, 37F, Milk 38F, Butter 37F
999	Education Provided OR Comments
	All violations corrected on the spot.

Violations: Priority - 1 Core - 2

PRIORITY VIOLATIONS SUMMARY

CODE	DESCRIPTION	CORRECTED
40	Utensils, equipment & linens:properly stored, dried, handled	03/07/2025

CORE VIOLATIONS SUMMARY

CODE	DESCRIPTION	CORRECTED
13	Food seperated and protected	03/07/2025
32	Thermometers provided and accurate	03/07/2025

PRIORITY VIOLATIONS DETAIL

CODE **DESCRIPTION** 40 **Good Retail Practices** Observed utensils that were breaking apart. (Corrected 03/07/25) 4-202.11 Multiuse food-contact surfaces shall be (1) Smooth, (2) Free of breaks, open seams, cracks, chips, inclusions, pits, and similar imperfections. **CORE VIOLATIONS DETAIL DESCRIPTION** CODE 13 Risk Factors and Interventions Observed bag of frozen okra open in the walk-in freezer. (Corrected 03/07/25) 3-302.11(A) 4 Food shall be protected from cross contamination by storing the food in packages, covered containers, or wrappings. Good Retail Practices 32 Observed no thermometer in small prep cooler. (Corrected 03/07/25) 4-204.112 Cold or hot holding equipment used for potentially hazardous food shall be designed to include and shall be equipped with at least 1 integral or permanently affixed temperature measuring device that is located to allow easy viewing of the device's temperature display. I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Inspection Report. **OWNER / MANAGER SIGNATURE Drew Struttmann, EPHS Inspector 1881**