



# Gasconade County Health Department

300 Schiller Street, Hermann, MO 65401  
(573) 486-3129 FAX (573) 486-3745 County # 073

## Food Inspection Report

<b>SITE NO.</b>	<b>INV NO.</b>	<b>IR NO.</b>	<b>DATE</b>	<b>INSPECTION TIME</b>	<b>INSPECTOR</b>
80	1		08/05/2025	9:45 AM - 10:35 AM	Struttman, Drew

### SITE INFORMATION

SWISS MEAT PROCESSING  
2056 S 19 HWY  
HERMANN MO 65041  
573-486-2086

### INVENTORY/MANAGER/OWNER

100 Restaurant  
Owner:  
SWISS MEAT PROCESSING  
573-486-2086

### SERVICE TYPE/FREQUENCY

Regular Inspection  
Medium Priority

## COMMENTS

### CODE

### DESCRIPTION

998

Temperatures

Hot Water 151F

Bacon 40F, 36F, Pork Roast --16F, Cheese 37F, Brats 36F, 10F, 9F, Ground Beef 6F, -12F, Ground Pork -5F, Pork Steak -13F, Ice Cream -6F, Juice 38F, Pork Patties 34F

999

Education Provided OR Comments

No priority violations during this inspections. All violations corrected on the spot.

---

---

**Violations: Core - 2**

---

---

## CORE VIOLATIONS SUMMARY

### CODE

### DESCRIPTION

### CORRECTED

8

Adequate handwashing facilities supplied & accessible

08/05/2025

49

Toilet facilities: properly constructed, supplied, cleaned

08/05/2025

## CORE VIOLATIONS DETAIL

### CODE

### DESCRIPTION

8

Risk Factors and Interventions

<b><u>CODE</u></b>	<b><u>DESCRIPTION</u></b>
	Observed bucket sitting in hand sink. (Corrected 08/05/25)
	5-205.11(A) A handwashing sink shall be maintained so that it is accessible at all times for employee use.
49	Good Retail Practices
	Observed women's restroom door propped open. (Corrected 08/05/25)
	6-202.14 ...a toilet room on the premises shall be completely enclosed and provided with a tight-fitting and self-closing door.

**I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Inspection Report.**

\_\_\_\_\_  
**Drew Struttman, EPHS Inspector 1881**

\_\_\_\_\_  
**OWNER / MANAGER SIGNATURE**