



Gasconade County Health Department

300 Schiller Street, Hermann, MO 65401
(573) 486-3129 FAX (573) 486-3745 County # 073

Food Inspection Report

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
125	1		10/16/2025	2:15 PM - 3:00 PM	Struttmann, Drew

SITE INFORMATION
EDELWEISS WINERY
2065 W HWY 100
HERMANN MO 65041

INVENTORY/MANAGER/OWNER
70 Tavern/Bar/Winery/Distillery
Owner:
EDELWEISS WINERY
913-636-3088

SERVICE TYPE/FREQUENCY
Regular Inspection
Medium Priority

COMMENTS

<u>CODE</u>	<u>DESCRIPTION</u>
998	Temperatures Hot Water 95F, 109F, 99F, 100F, 108F, 66F
999	Education Provided OR Comments No priority violations during this inspection.

Violations: Core - 1

CORE VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>CORRECTED</u>
8	Adequate handwashing facilities supplied & accessible	_____

CORE VIOLATIONS DETAIL

<u>CODE</u>	<u>DESCRIPTION</u>
8	Risk Factors and Interventions

Observed multiple handsinks without adequate water temperature.

A handwashing sink shall be equipped to provide water at a temperature of at least one hundred degrees

CODE

DESCRIPTION

Fahrenheit through a mixing valve or combination faucet.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Inspection Report.

Drew Struttman, EPHS Inspector 1881

OWNER / MANAGER SIGNATURE