



Gasconade County Health Department

300 Schiller Street, Hermann, MO 65401
(573) 486-3129 FAX (573) 486-3745 County # 073

Food Inspection Report

SITE NO.	INV NO.	IR NO.	DATE	INSPECTION TIME	INSPECTOR
106	1		07/21/2026	3:45 PM - 4:15 PM	Struttmann, Drew

SITE INFORMATION	INVENTORY/MANAGER/OWNER	SERVICE TYPE/FREQUENCY
SNO TOWN	100 Restaurant	Regular Inspection
205 S SECOND ST	Owner:	Low Priority
OWENSVILLE MO 65066	SNO TOWN	
573-690-2886	573-690-2886	

COMMENTS

<u>CODE</u>	<u>DESCRIPTION</u>
998	Temperatures Hot Water 100F Ice Cream -15F, -17F, -6F, Milk 40F
999	Education Provided OR Comments GCHD will return in two weeks for follow-up inspection.

Violations: Priority - 2 Core - 1

PRIORITY VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>CORRECTED</u>
14	Food-contact surfaces cleaned & sanitized	_____
26	Toxic substances properly identified, stored & used	_____

CORE VIOLATIONS SUMMARY

<u>CODE</u>	<u>DESCRIPTION</u>	<u>CORRECTED</u>
32	Thermometers provided and accurate	_____

PRIORITY VIOLATIONS DETAIL**CODE** **DESCRIPTION**

14 Risk Factors and Interventions

Observed mold in ice machine.

4-601.11 Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils.
(A) Equipment food-contact surfaces and utensils shall be clean to sight and touch.

26 Risk Factors and Interventions

Observed cleaner spray bottle without identification.

7-102.11 Common Name. Working containers used for storing poisonous or toxic materials such as cleaners and sanitizers taken from bulk supplies shall be clearly and individually identified with the common name of the material.

CORE VIOLATIONS DETAIL**CODE** **DESCRIPTION**

32 Good Retail Practices

Observed refrigerator without thermometer.

4-204.112 Temperature Measuring Devices...(B) Except as specified in (C) of this section, cold or hot holding equipment used for potentially hazardous food shall be designed to include and shall be equipped with at least one (1) integral or permanently affixed temperature measuring device that is located to allow easy viewing of the device's temperature display.

I HEREBY, ACKNOWLEDGE THE ISSUANCE AND RECEIPT OF THIS OFFICIAL Food Inspection Report._____
Drew Struttman, EPHS Inspector 1881_____
OWNER / MANAGER SIGNATURE